



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/698,039	10/30/2003	Hidegori Usuda	9319S-000574	1175
27572	7590	06/08/2006	EXAMINER	
HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 828 BLOOMFIELD HILLS, MI 48303			MRUK, GEOFFREY S	
			ART UNIT	PAPER NUMBER
			2853	
DATE MAILED: 06/08/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Interview Summary</b>	Application No.	Applicant(s)	
	10/698,039	USUDA, HIDENORI	
	Examiner	Art Unit	
	Geoffrey Mruk	2853	

All participants (applicant, applicant's representative, PTO personnel):

(1) Geoffrey Mruk.

(3) Brent G. Seitz.

(2) Stephen Meier.

(4) \_\_\_\_.

Date of Interview: 01 June 2006.

Type: a) ☒ Telephonic b) ☐ Video Conference  
c) ☐ Personal [copy given to: 1) ☐ applicant 2) ☐ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☒ No.

If Yes, brief description: \_\_\_\_.

Claim(s) discussed: Independent claim 1.

Identification of prior art discussed: Arakawa et al. (US 6,270,180 B1).

Agreement with respect to the claims f) ☐ was reached. g) ☒ was not reached. h) ☐ N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: The proposed draft amendments to independent claim 1 were discussed. The proposed draft amendments do not overcome the rejection dated 3 March 2006. Applicant was instructed how to amend the claims, specifically controlling the carriage with the drive motors using the arithmetic control section.

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN A NON-EXTENDABLE PERIOD OF THE LONGER OF ONE MONTH OR THIRTY DAYS FROM THIS INTERVIEW DATE, OR THE MAILING DATE OF THIS INTERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

**STEPHEN MEIER**  
**SUPERVISORY PATENT EXAMINER**



Examiner's signature, if required

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.

## Summary of Record of Interview Requirements

### Manual of Patent Examining Procedure (MPEP), Section 713.04, Substance of Interview Must be Made of Record

A complete written statement as to the substance of any face-to-face, video conference, or telephone interview with regard to an application must be made of record in the application whether or not an agreement with the examiner was reached at the interview.

### Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews

#### Paragraph (b)

In every instance where reconsideration is requested in view of an interview with an examiner, a complete written statement of the reasons presented at the interview as warranting favorable action must be filed by the applicant. An interview does not remove the necessity for reply to Office action as specified in §§ 1.111, 1.135. (35 U.S.C. 132)

#### 37 CFR §1.2 Business to be transacted in writing.

All business with the Patent or Trademark Office should be transacted in writing. The personal attendance of applicants or their attorneys or agents at the Patent and Trademark Office is unnecessary. The action of the Patent and Trademark Office will be based exclusively on the written record in the Office. No attention will be paid to any alleged oral promise, stipulation, or understanding in relation to which there is disagreement or doubt.

The action of the Patent and Trademark Office cannot be based exclusively on the written record in the Office if that record is itself incomplete through the failure to record the substance of interviews.

It is the responsibility of the applicant or the attorney or agent to make the substance of an interview of record in the application file, unless the examiner indicates he or she will do so. It is the examiner's responsibility to see that such a record is made and to correct material inaccuracies which bear directly on the question of patentability.

Examiners must complete an Interview Summary Form for each interview held where a matter of substance has been discussed during the interview by checking the appropriate boxes and filling in the blanks. Discussions regarding only procedural matters, directed solely to restriction requirements for which interview recordation is otherwise provided for in Section 812.01 of the Manual of Patent Examining Procedure, or pointing out typographical errors or unreadable script in Office actions or the like, are excluded from the interview recordation procedures below. Where the substance of an interview is completely recorded in an Examiners Amendment, no separate Interview Summary Record is required.

The Interview Summary Form shall be given an appropriate Paper No., placed in the right hand portion of the file, and listed on the "Contents" section of the file wrapper. In a personal interview, a duplicate of the Form is given to the applicant (or attorney or agent) at the conclusion of the interview. In the case of a telephone or video-conference interview, the copy is mailed to the applicant's correspondence address either with or prior to the next official communication. If additional correspondence from the examiner is not likely before an allowance or if other circumstances dictate, the Form should be mailed promptly after the interview rather than with the next official communication.

The Form provides for recordation of the following information:

- Application Number (Series Code and Serial Number)
- Name of applicant
- Name of examiner
- Date of interview
- Type of interview (telephonic, video-conference, or personal)
- Name of participant(s) (applicant, attorney or agent, examiner, other PTO personnel, etc.)
- An indication whether or not an exhibit was shown or a demonstration conducted
- An identification of the specific prior art discussed
- An indication whether an agreement was reached and if so, a description of the general nature of the agreement (may be by attachment of a copy of amendments or claims agreed as being allowable). Note: Agreement as to allowability is tentative and does not restrict further action by the examiner to the contrary.
- The signature of the examiner who conducted the interview (if Form is not an attachment to a signed Office action)

It is desirable that the examiner orally remind the applicant of his or her obligation to record the substance of the interview of each case. It should be noted, however, that the Interview Summary Form will not normally be considered a complete and proper recordation of the interview unless it includes, or is supplemented by the applicant or the examiner to include, all of the applicable items required below concerning the substance of the interview.

A complete and proper recordation of the substance of any interview should include at least the following applicable items:

- 1) A brief description of the nature of any exhibit shown or any demonstration conducted,
- 2) an identification of the claims discussed,
- 3) an identification of the specific prior art discussed,
- 4) an identification of the principal proposed amendments of a substantive nature discussed, unless these are already described on the Interview Summary Form completed by the Examiner,
- 5) a brief identification of the general thrust of the principal arguments presented to the examiner,  
(The identification of arguments need not be lengthy or elaborate. A verbatim or highly detailed description of the arguments is not required. The identification of the arguments is sufficient if the general nature or thrust of the principal arguments made to the examiner can be understood in the context of the application file. Of course, the applicant may desire to emphasize and fully describe those arguments which he or she feels were or might be persuasive to the examiner.)
- 6) a general indication of any other pertinent matters discussed, and
- 7) if appropriate, the general results or outcome of the interview unless already described in the Interview Summary Form completed by the examiner.

Examiners are expected to carefully review the applicant's record of the substance of an interview. If the record is not complete and accurate, the examiner will give the applicant an extendable one month time period to correct the record.

### Examiner to Check for Accuracy

If the claims are allowable for other reasons of record, the examiner should send a letter setting forth the examiner's version of the statement attributed to him or her. If the record is complete and accurate, the examiner should place the indication, "Interview Record OK" on the paper recording the substance of the interview along with the date and the examiner's initials.

APPLICATION NO. 10/698,039  
DRAFT AMENDMENTS IN RESPONSE TO 3/3/06 OFFICE ACTION

**DRAFT AMENDMENTS TO THE CLAIMS**

Attach  
to interview  
summary.  
/

The following listing of claims will replace all prior versions and listings of claims in the application.

**LISTING OF CLAIMS**

Draft GM 6/1/2006

1. (Currently Amended) A droplet discharging apparatus comprising:

means for discharging a discharge liquid in the form of droplets through an aperture by mechanically deforming a piezoelectric element by using a normal drive signal;

wherein the piezoelectric element is subjected to a heating drive signal of a repetitive frequency in an ultrasonic band when the aperture is positioned in an image formation region, the heating drive signal is being insufficient to cause droplets from being discharged through the aperture thereby facilitating heating of the droplets;

wherein the normal drive signal and the heating drive signal are both generated by a single waveform generating section;

controlling an X-direction drive motor and a Y-direction drive motor using an arithmetic control section in receipt of setting information generated by a control computer;

generating drive signals, which drive the waveform generating section, using drive signal data generated by the arithmetic control section, the drive signal generating section generates a plurality of drive signals of predetermined shapes, including the normal drive signal and the heating drive signal;

outputting the drive signals to a switching circuit; and

generating selection data using the arithmetic control section and outputting the selection data to a switching signal generator, the selection data designates the drive signal to be applied to the piezoelectric element.

APPLICATION NO. 10/698,039  
DRAFT AMENDMENTS IN RESPONSE TO 3/3/06 OFFICE ACTION

2. (Original) The droplet discharging apparatus according to Claim 1, wherein the heating drive signal is applied to the piezoelectric element immediately before a droplet is discharged by the normal drive signal.

Draft GM  
6/1/2006

3. (Original) The droplet discharging apparatus according to Claim 1, wherein the heating drive signal is applied to the piezoelectric element while a droplet is being discharged by the normal drive signal.

4. (Original) The droplet discharging apparatus according to Claim 1, wherein the heating drive signal is applied to the piezoelectric element if the temperature of a discharge liquid that is detected by a temperature detecting means drops below a predetermined threshold temperature.

5. (Original) The droplet discharging apparatus according to Claim 1, wherein the repetitive frequency of the heating drive signal is 40 kHz or more.

6. (Original) The droplet discharging apparatus according to Claim 1, wherein the amplitude of the heating drive signal is half that or less of the normal drive signal.

7. (Original) The droplet discharging apparatus according Claim1, wherein the discharge liquid is a printing ink.

8. (Original) The droplet discharging apparatus according to Claim 1, wherein the discharge liquid is an electrically conductive material for forming a wiring pattern.

APPLICATION NO. 10/698,039  
DRAFT AMENDMENTS IN RESPONSE TO 3/3/06 OFFICE ACTION

9. (Original) The droplet discharging apparatus according Claim 1, wherein the discharge liquid is a transparent resin for forming a microlens.

10. (Original) The droplet discharging apparatus according to Claim 1, wherein the discharge liquid is a resin for forming a color layer of a color filter.

11. (Original) The droplet discharging apparatus according to Claim 1, wherein the discharge liquid is an electro-optic material.

12. (Original) The droplet discharging apparatus according to Claim 11, wherein the electro-optic material is a fluorescent organic compound presenting electroluminescence.

13. (Previously Presented) The droplet discharging apparatus according to Claim 12, wherein the heating drive signal is applied to the piezoelectric element before, during and after a preliminary discharging operation.

Draft  
GM  
6/1/2006

APPLICATION NO. 10/698,039  
DRAFT AMENDMENTS IN RESPONSE TO 3/3/06 OFFICE ACTION

14. (Currently Amended) A droplet discharging method comprising:
- discharging a discharge liquid in the form of droplets through an aperture by mechanically deforming a piezoelectric element by a normal drive signal;
  - wherein the discharge liquid is heated by subjecting the piezoelectric element to heating drive signal at a repetitive frequency in an ultrasonic band, the heating drive signal being insufficient to cause the discharge liquid from being discharged through the aperture thereby facilitating heating of the droplets; and
  - wherein the normal drive signal and the heating drive signal are both generated by a single waveform generating section;
  - controlling an X-direction drive motor and a Y-direction drive motor using an arithmetic control section in receipt of setting information generated by a control computer;
  - generating drive signals, which drive the waveform generating section, using drive signal data generated by the arithmetic control section, the drive signal generating section generates a plurality of drive signals of predetermined shapes, including the normal drive signal and the heating drive signal;
  - outputting the drive signals to a switching circuit; and
  - generating selection data using the arithmetic control section and outputting the selection data to a switching signal generator, the selection data designates the drive signal to be applied to the piezoelectric element.

15. (Original) The droplet discharging method according to Claim 14, wherein the heating drive is carried out immediately before the normal drive for discharging a droplet.

Draft  
GM  
6/1/2006

APPLICATION NO. 10/698,039  
DRAFT AMENDMENTS IN RESPONSE TO 3/3/06 OFFICE ACTION

16. (Original) The droplet discharging method according to Claim 14, wherein the heating drive is carried out during the normal drive.

Draft

17. (Original) The droplet discharging method according to Claim 14, wherein the heating drive is carried out if the temperature of a discharge liquid drops below a predetermined threshold temperature.

6/1/2006

18. (Original) The droplet discharging method according to Claim 14, wherein the repetitive frequency of the heating drive is 40 kHz or more.

19. (Original) The droplet discharging method according to Claim 14, wherein the heating drive is carried out at an amplitude that is half that or less of the normal drive.

20. (Original) The droplet discharging method according to Claim 14, wherein the discharge liquid is a printing ink.

21. (Original) The droplet discharging method according to Claim 14, wherein the discharge liquid is an electrically conductive material for forming a wiring pattern.

22. (Original) The droplet discharging method according to Claim 14, wherein the discharge liquid is a transparent resin for forming a microlens.

23. (Original) The droplet discharging method according to Claim 14, wherein the discharge liquid is a resin for forming a color layer of a color filter.



APPLICATION NO. 10/698,039  
DRAFT AMENDMENTS IN RESPONSE TO 3/3/06 OFFICE ACTION

24. (Original) The droplet discharging method according to Claim 14, wherein the discharge liquid is an electro-optic material.

Draft 64

25. (Original) The droplet discharging method according to Claim 24, wherein the electro-optic material is a fluorescent organic compound presenting electroluminescence.

6/1/2006

26. (Previously Presented) The droplet discharging method according to Claim 14, wherein the heating drive signal is applied to the piezoelectric element before, during and after a preliminary discharging operation.